

| Yuan Kang Lee | F1D 3+ "Sweet Luke" | lb/ft3 | mg |
|----------------------|--|--------|-----|
| Wing | | | 355 |
| spars (2) | .040 x .052 (2x .003 boron) | 4.0 | 70 |
| tips (2) | .039 x .043 | 4.0 | 57 |
| middle ribs (2) | .032 x .050 C | 4.5 | 24 |
| comp ribs (2) | .032 x .055 C + .032 x .025 | 4.5 | 41 |
| tubes (2) | .064 ID polyimide thin wall | | 5 |
| covering | OS Film | | |
| Motor Stick | | | 365 |
| blank | .015 C (2 x .003 boron, | 4.0 | 132 |
| | 4 and 8 o'clock) .240 id | | |
| bracing post | .060 x .060 -> .040 x .040 (basswood) | | 25 |
| wing posts (2) | .058 x .045 (4 x .003 boron) | 6.0 | 20 |
| bracing line | Kevlar thread, 6 lb tested | | 10 |
| 2 nd line | Spiderwire, 6 lb tested, ¼ strand | | 2 |
| bearing | Harlan | | 25 |
| tail hook | .013 music wire | | 15 |
| front web | .025 x .75 C | 5.0 | 7 |
| rear web | .025 x .60 C | 5.0 | 6 |
| extension | .010 (3 x .003 boron) | 4.0 | 47 |
| Stab | | | 130 |
| spars | .024 x .041 (2 x .003 boron) | 4.9 | 48 |
| ribs (3) | .024 x .040 C | 4.8 | 19 |
| Tail boom | | | 170 |
| Blank | .010 C (2 x .003 boron) | 4.8 | 132 |
| stab posts (2) | .023 x .050 | 6.1 | 4 |
| Rudder | | | 20 |
| outline and rib | .025 x .030 | 5.0 | 14 |
| covering | OS Film | 3.0 | |
| Prop | 18.5 D (formed on Treger pitch block) | | 285 |
| outline | .024 x .024 (double first 2 bays) | 5.0 | 20 |
| boron | 2 x .003 boron (4 x first 2 bays) | | 20 |
| ribs (5) | .024 x .024 (3 x .003 boron 1st rib) | 5.0 | 10 |
| spar | .070 x .070 -> .060 x .060 | 5.8 | 20 |
| - I | .070 x .070 -> .060 x .060 (4 x .003 boron) | | |
| VP | Treger (low 25, high 40) | | 95 |
| | | | |

